PATIENT INFORMATION LEAFLET

SCHEDULING STATUS
To be assigned

VIRAVANCE 1-2-3 Tabz™ 10-Day & 30-Day Film-coated Tablets Sucrose, Lactose, Gluten and Tartrazine Free

Complementary Medicine – Discipline Specific Combination Product

Read this leaflet carefully because it contains important information for you

VIRAVANCE 1-2-3 Tabz™ is available without a doctor's prescription, for you to maintain your health. Nevertheless, you still need to use VIRAVANCE 1-2-3 Tabz™ carefully to get the best results from it.
- Keep this leaflet. You may need to read it again.
- Do not share VIRAVANCE 1-2-3 Tabz™ with any other person.
- Ask your healthcare professional or pharmacist if you need more information or advice.

What is in this leaflet

1. What VIRAVANCE 1-2-3 Tabz™ is and what it is used for.
2. What you need to know before you take VIRAVANCE 1-2-3 Tabz™.
3. How to take VIRAVANCE 1-2-3 Tabz™.
4. Possible side effects.
5. How to store VIRAVANCE 1-2-3 Tabz™.
6. Contents of the pack and other information.

1. What VIRAVANCE 1-2-3 Tabz™ is and what it is used for

VIRAVANCE 1-2-3 Tabz™ is a health supplement used in adults for Immune System, Cold & Flu Symptom, and Recovery support.

2. What you need to know before you take VIRAVANCE 1-2-3 Tabz™

Do not take VIRAVANCE 1-2-3 Tabz™ if
You experience a Hypersensitivity *(allergic reaction)* to any of the ingredients of VIRAVANCE 1-2-3 Tabz™ *(listed below in section 6)*.

VIRAVANCE 1-2-3 Tabz™ should not be used if you suffer from:
- chronic kidney disease;
- if you have high levels of Calcium in either your blood or urine;
- renal osteodystrophy with hyperphosphataemia *(a bone disease caused by incorrect functioning of the kidneys)*;
- a sulphur allergy.

Warnings and Precautions
Consult your Healthcare Professional if:
- you are taking blood thinners *(due to the Pelargonium Sidoides)*;
- you have a heart condition, or kidney disease;
- you have asthma or chronic respiratory conditions *(due to the Pelargonium Sidoides)*;
- you have gallstones *(due to the Ginger content)*;
- you have liver disease *(due to the Curcumin content)*;
- your symptoms worsen;
- you are following a low-protein diet.

VIRAVANCE 1-2-3 Tabz™ should not be used for prolonged periods of time by people struggling with autoimmune disorders due to the *Echinacea purpurea* which stimulates the immune system.

You should stop using VIRAVANCE 1-2-3 Tabz™ two weeks *(14 days)* prior to surgery.

VIRAVANCE 1-2-3 Tabz™ should not be given to children below the age of 18 years *(due to the Beta-Glucan, Boswellia, Bromelain, Curcumin, high dose Folate, L-Lysine, L-Theanine, Manganese, N-Acetyl Cysteine, Selenium, and Quercetin content)* unless under the direct supervision of a qualified healthcare professional.

Other medicines and VIRAVANCE 1-2-3 Tabz™
Always tell your healthcare professional if you are taking any other medicines. This includes complementary or traditional medicines.

Take VIRAVANCE 1-2-3 Tabz™ 2 hours before or after taking other medications or natural health products.

A high dose Vitamin D may increase the risk of hypercalcaemia.

A high dose Zinc supplementation may cause a Copper or Iron deficiency.

Fertility, Pregnancy and Breastfeeding
If you are pregnant or breastfeeding, think that you may be pregnant or planning to have a baby, please consult your doctor, pharmacist, or other healthcare professional for advice before taking this medicine.

The safety of the ingredients as contained in VIRAVANCE 1-2-3 Tabz™ listed below in section 6 during pregnancy has not been established.

Driving and using machines
VIRAVANCE 1-2-3 Tabz™ does not have any effect on the ability to drive or the use of machinery.

3. How to take VIRAVANCE 1-2-3 Tabz™

Do not share medicines with any other person.
Always take VIRAVANCE 1-2-3 Tabz™ exactly as described in this leaflet or as your doctor, pharmacist or healthcare professional has told you. Check with your doctor or pharmacist if you are not sure.

For oral use only.

The usual dose of VIRAVANCE 1-2-3 Tabz™ is One Orange Film-coated tablet in the Morning with breakfast, with One Yellow Film-coated tablet at Midday with lunch, and One Green Film-coated tablet at Night before bedtime.

VIRAVANCE 1-2-3 Tabz™ must always be taken after meals.

VIRAVANCE 1-2-3 Tabz™ should be taken daily for as long as your healthcare professional indicates you to use it.

If you take more VIRAVANCE 1-2-3 Tabz™ than you should
In the event of an overdosage, consult your doctor or pharmacist. If neither is available, contact your nearest hospital or poison centre.

If an overdose is suspected, VIRAVANCE 1-2-3 Tabz™ should be stopped immediately.

Treatment is generally symptomatic and supportive.

If you forget to take VIRAVANCE 1-2-3 Tabz™
Do not take a double dose of VIRAVANCE 1-2-3 Tabz™ to make up for a forgotten individual dose.

4. Possible side effects

VIRAVANCE 1-2-3 Tabz™ can have side effects in exceptional instances.

Not all side effects reported for VIRAVANCE 1-2-3 Tabz™ are included in this leaflet. Should your general health worsen or if you experience any untoward effects while taking VIRAVANCE 1-2-3 Tabz™, please consult your healthcare professional for advice.

Less Frequent side effects:
- nausea (feeling sick)
- diarrhoea
- constipation
- indigestion
- bloating
- flatulence
- headache
- tingling of the extremities

Reporting of adverse reactions:
Should you notice any side effects not mentioned in this leaflet, report it to AnaStellar Brands (Pty) Ltd via pharmacist@anastellar.co.za, (011) 792 4601 or https://anastellar.co.za.

By reporting side effects, you can help provide more information on the safety of VIRAVANCE 1-2-3 Tabz™ .

5. How to store VIRAVANCE 1-2-3 Tabz™

Store all medicines out of reach of children.
Store at or below 25 °C.
Do not refrigerate or freeze.
Protect from light and moisture.
Store in the original container.
Do not decant tablets into pill boxes as they may react with the moisture in the air.
Do not store in a Bathroom or Kitchen.
Return all unused medicine to your pharmacist.
Do not dispose of unused medicine in drains or sewerage systems (e.g., toilets).

6. Contents of the pack and other information

What VIRAVANCE 1-2-3 Tabz™ contains:

VIRAVANCE 1-2-3 Tabz™ is comprised of 3 Components:

Component 1

Each Orange Tablet contains:

Beta-Glucan [Yeast] derived from *Saccharomyces cerevisiae*	**100**	**mg**
L-Lysine derived from L-Lysine Hydrochloride 625 mg	**500**	**mg**
Vitamin B3 derived from Nicotinamide 25 mg	**25**	**mg**
Vitamin B6 (Active) derived from Pyridoxal-5-Phosphate Monohydrate 54 mg	**50**	**mg**
Vitamin B12 (Active) derived from Methylcobalamin 50 µg	**50**	**µg**
Vitamin C derived from Ascorbic Acid 500 mg	**500**	**mg**
Vitamin D3 derived from Cholecalciferol 10 mg	**1 000**	**IU**
Folate (Active) derived from (6S)-5-Methyltetrahydrofolate 556 µg	**400**	**µg**
Selenium derived from Selenium Bisglycinate 3 mg	**60**	**µg**
Zinc derived from Zinc Citrate Trihydrate 81 mg	**25**	**mg**

All minerals are expressed in their elemental and non-elemental form.

The other ingredients are:
Tablet Core – Calcium Phosphate Dibasic, Magnesium Stearate, Microcrystalline Cellulose, Povidone, Silicon Dioxide, Sodium Starch Glycolate, and Solvent 45.

Tablet Coating – Castor Oil, Flexicoat, and Shellac.

Component 2

Each Yellow Tablet contains:

Quercetin derived from Quercetin Anhydrous 211 mg	**200**	**mg**
N-Acetyl Cysteine derived from N-Acetyl Cysteine Monohydrate 200 mg	**200**	**mg**
Ivy Leaf Extract [Leaf] derived from *Hedera helix* 5:1 Extract 30 mg	**150**	**mg**
Pelargonium Sidoides [Root] derived from *African Geranium* 2:1 Extract 175 mg	**350**	**mg**
Bromelain	**150**	**mg**
Verbena Herb [Leaf] derived from *Verbena officinalis* 36 mg	**36**	**mg**
Vitamin A derived from Vitamin A Acetate 2 mg	**1 000**	**IU**
Vitamin E derived from dl-α-Tocopherol 40 mg	**20**	**IU**
Manganese derived from Manganese Glycinate 15 mg	**3**	**mg**

All minerals are expressed in their elemental and non-elemental form.

The other ingredients are:
Tablet Core – Magnesium Stearate, Microcrystalline Cellulose, Povidone, Silicon Dioxide, Sodium Starch Glycolate, and Solvent 45.

Tablet Coating – Castor Oil, Flexicoat, and Shellac.

Component 3

Each Green Tablet contains:

Echinacea [Root] derived from *Echinacea purpurea* 4:1 Extract 25 mg	**100**	**mg**
Elderberry [Fruit] derived from *Sambucus nigra* 10:1 Extract 10 mg	**100**	**mg**
Ginger [Root] derived from *Zingiber officinale* 4:1 Extract 63 mg	**250**	**mg**
L-Theanine	**150**	**mg**
Boswellia derived from *Boswellia serrata* 5:1 Extract 77 mg	**250**	**mg**
Turmeric [Stem] derived from *Curcumin longa* 25:1 Extract 4 mg	**100**	**mg**
Magnesium derived from Magnesium Glycinate 160 mg	**40**	**mg**

All minerals are expressed in their elemental and non-elemental form.

The other ingredients are:
Tablet Core – Magnesium Stearate, Microcrystalline Cellulose, Povidone, Silicon Dioxide, and Sodium Starch Glycolate.

Tablet Coating – Castor Oil, Flexicoat, and Shellac.

What VIRAVANCE 1-2-3 Tabz™ looks like and contents of the pack

VIRAVANCE 1-2-3 Tabz™ is available in a pack of 30x and 90x Oblong Film-coated Tablets.

10-Day Supply
Each pack contains 5x Orange Film-coated Tablets of Component 1, 5x Yellow Film-coated Tablets of Component 2, and 5x Green Film-coated Tablets of Component 3 contained in each PVC/PVDC/Aluminium blister strip. There is 2x blister strips enclosed within a cardboard carton.
Unit Carton with 1x Tamper Proof Seal on each side of the lid openings.

30-Day Supply
Each pack contains 5x Orange Film-coated Tablets of Component 1, 5x Yellow Film-coated Tablets of Component 2, and 5x Green Film-coated Tablets of Component 3 contained in each PVC/PVDC/Aluminium blister strip. There is 6x blister strips enclosed within a cardboard carton.
Unit Carton with 1x Tamper Proof Seal on each side of the lid openings.

Holder of Certificate of Registration

AnaStellar Brands (Pty) Ltd.
PO Box 639
Fontainebleau
2032
South Africa
+27 (0)11 792 4601

Registration number

To be assigned

This leaflet was last revised in April 2026

The Professional Information leaflet is available on https://anastellar.co.za

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety, or intended use.

PASIËNT-INLIGTINGSPAMFLET

SKEDULERINGSTATUS
Moet toegeken word

VIRAVANCE 1-2-3 Tabz™ 10-Dag & 30-Dag Filmbedekte Tablette Sukrose-, Laktose-, Gluten- en Tartrasienvry

Aanvullende Medisyne – Dissipline-spesifieke Kombinasieproduk

Lees hierdie pamflet sorgvuldig want dit bevat belangrike inligting vir jou

VIRAVANCE 1-2-3 Tabz™ is sonder 'n doktersvoorskrif aan jou beskikbaar om jou gesondheid in stand te hou. Nogtans moet jy bedagsaam wees wanneer jy VIRAVANCE 1-2-3 Tabz™ gebruik om die beste resultate daarvan te kry.
- Hou hierdie pamflet. Dit mag nodig wees om dit weer te lees.
- Moenie VIRAVANCE 1-2-3 Tabz™ met iemand anders deel nie.
- Vra jou gesondheidspraktisyn of apteker as jy meer inligting of advies benodig.

Wat is in hierdie pamflet

1. Wat VIRAVANCE 1-2-3 Tabz™ is en waarvoor dit gebruik word.
2. Wat jy moet weet voordat jy VIRAVANCE 1-2-3 Tabz™ neem.
3. Hoe om VIRAVANCE 1-2-3 Tabz™ te neem.
4. Moontlike newe-effekte.
5. Hoe om VIRAVANCE 1-2-3 Tabz™ te bewaar.
6. Die inhoud van die kartondosie en ander inligting.

1. Wat VIRAVANCE 1-2-3 Tabz™ is en waarvoor dit gebruik word

VIRAVANCE 1-2-3 Tabz™ is 'n gesondheidsaanvulling wat deur volwassenes gebruik word om die Immuunstelsel en die Herstel van Verkoue- en Griepsimptome te Ondersteun.

2. Wat jy moet weet voordat jy VIRAVANCE 1-2-3 Tabz™ neem

Moenie VIRAVANCE 1-2-3 Tabz™ neem indien
Jy Hipersensitiwiteit *(allergiese reaksie)* vir enige van die bestanddele van VIRAVANCE 1-2-3 Tabz™ toon nie *(word in afdeling 6 aangegee)*.

VIRAVANCE 1-2-3 Tabz™ behoort nie gebruik te word indien jy Iy aan:
- kroniese niersiekte;
- as jy hoë vlakke Kalsium in jou bloed of urine het;
- nier-osteodistrofie met hiperfosfatemie *('n beensiekte veroorsaak deur wanfunksionering van die niere)*;
- 'n swael-allergie.

Waarskuwings en Voorsorgmaatreëls
Raadpleeg jou Gesondheidspraktisyn indien:
- jy bloedverdunners neem *(weens die Pelargonium Sidoides)*;
- jy 'n hart-, of nierkwaal het;
- jy asma of ander kroniese respiratoriese kondisies het *(weens die Pelargonium Sidoides)*;
- jy galstene het *(weens die Gemmerinhoud)*;
- jy lewersiekte het *(weens die Kurkumieninhoud)*;
- jou simptome erger word;
- jy 'n lae proteïen dieet volg.

Weens die *Echinacea purpurea* wat die immuunstelsel stimuleer, behoort VIRAVANCE 1-2-3 Tabz™ nie vir langdurige tydperke gebruik te word deur mense wat sukkel met outoïmmuun-versteurings nie.

Staak die gebruik van VIRAVANCE 1-2-3 Fizz twee weke *(14 dae)* voor jy enige snykunde ondergaan.

VIRAVANCE 1-2-3 Tabz™ behoort nie aan kinders jonger as 18 jaar gegee te word nie *(weens die Beta-Glucan-, Boswellia-, Bromelien-, Kurkumien-, hoë dosis Folaat-, L-Lisien-, L-Teanien-, Mangaan-, N-Asetielsisteïen-, Seleen-, en Kwersetieninhoud)*, tensy onder die direkte toesig van 'n gekwalifiseerde gesondheidsdeskundige.

Ander medisyne en VIRAVANCE 1-2-3 Tabz™
Vertel altyd vir jou gesondheidsdeskundige as jy enige ander middels neem. Dit sluit aanvullende of tradisionele medisyne in.

Neem VIRAVANCE 1-2-3 Tabz™ 2 uur voor of na jy enige ander medikasies of natuurlike gesondheidsprodukte neem.

Hoë-dosis Vitamien D mag die risiko van hiperkalsemie verhoog.

Hoë-dosis Sinkaanvulling mag 'n Koper- of Ystergebrek veroorsaak.

Vrugbaarheid, Swangerskap en Borsvoeding
As jy swanger is of borsvoed, dink dat jy swanger mag wees of beplan om 'n baba te hê, raadpleeg asseblief jou dokter, apteker of ander gesondheidsdeskundige voordat jy hierdie medisyne neem.

Die veiligheid van die bestanddele wat VIRAVANCE 1-2-3 Tabz™ bevat, soos aangegee in afdeling 6, is nie bepaal tydens swangerskap nie.

Motorbestuur en die gebruik van masjinerie
VIRAVANCE 1-2-3 Tabz™ het nie 'n effek op die vermoë om te bestuur of wanneer 'n persoon masjinerie hanteer nie.

3. Hoe om VIRAVANCE 1-2-3 Tabz™ te neem

Moenie medisyne met iemand anders deel nie.
Neem VIRAVANCE 1-2-3 Tabz™ altyd presies soos in hierdie pamflet beskryf of soos jou dokter, apteker of gesondheidsdeskundige vir jou aanbeveel het. Vra jou dokter of apteker as jy nie seker is nie.

Slegs vir mondelikse gebruik.

Die gewone dosis van VIRAVANCE 1-2-3 Tabz™ is Een Oranje Filmbedekte tablet Soggens saam met ontbyt, Een Geel Filmbedekte tablet saam met Middagete en Een Groen Filmbedekte tablet Saans voor slaaptyd.

VIRAVANCE 1-2-3 Tabz™ moet altyd na maaltye geneem word.

VIRAVANCE 1-2-3 Tabz™ moet daagliks geneem word vir so lank as wat jou gesondheidsdeskundige dit aanbeveel.

As jy meer VIRAVANCE 1-2-3 Tabz™ neem as wat jy moes
In die geval van 'n oordosering, raadpleeg jou dokter of apteker. As nie een van die twee beskikbaar is nie, kontak jou naaste hospitaal of gifbeheersentrum.

As 'n oordosis vermoed word, moet VIRAVANCE 1-2-3 Tabz™ dadelik gestaak word.

Behandeling is oor die algemeen simptomaties en ondersteunend.

As jy vergeet om VIRAVANCE 1-2-3 Tabz™ te neem
Moenie 'n dubbele dosis van VIRAVANCE 1-2-3 Tabz™ neem om te vergoed vir 'n individuele dosis wat jy vergeet het nie.

4. Moontlike newe-effekte

VIRAVANCE 1-2-3 Tabz™ kan in buitengewone gevalle newe-effekte hê.

Nie alle newe-effekte wat vir VIRAVANCE 1-2-3 Tabz™ vermeld is, is in hierdie pamflet ingesluit nie. As jou algemene gesondheid versleg of as jy enige ongewenste newe-effekte ondervind terwyl jy VIRAVANCE 1-2-3 Tabz™ neem, vra asseblief jou gesondheidsdeskundige vir advies.

Minder Dikwelse newe-effekte:
- naarheid (voel mislik)
- diarree
- hardlywigheid
- slegte spysvertering
- voel opgeblaas
- winderigheid
- hoofpyn
- tinteling van die ledemate

Aanmelding van newe-effekte
As jy enige newe-effekte opmerk wat nie in hierdie pamflet genoem word nie, meld dit by AnaStellar Brands (Edms) Bpk. aan by pharmacist@anastellar.co.za, (011) 792 4601 of https://anastellar.co.za

Deur newe-effekte aan te meld, kan jy help om meer inligting oor die veiligheid van VIRAVANCE 1-2-3 Tabz™ te verskaf.

5. Hoe om VIRAVANCE 1-2-3 Tabz™ te bewaar

Hou alle medisyne buite kinders se bereik.
Bewaar teen 25 °C of benede.
Moenie in 'n yskas verkoel of vries nie.
Beskerm teen lig en vogtigheid.
Bewaar in die oorspronklike houer.
Moenie tablette in pildosies uitgooi nie, hulle mag met vogtigheid in die lug reageer.
Moenie in 'n Badkamer of Kombuis bêre nie.
Neem alle ongebruikte medisyne terug na jou apteker.
Moenie ongebruikte medisyne in dreine of rioolstelsels (bv. toilette) weggooi nie.

6. Die inhoud van die kartondosie en ander inligting

Wat VIRAVANCE 1-2-3 Tabz™ bevat:

VIRAVANCE 1-2-3 Tabz™ bestaan uit 3 Komponente:

Komponent 1

Elke Oranje Tablet bevat:

Beta-Glucan [Gis] afgelei van *Saccharomyces cerevisiae*	**100**	**mg**
L-Lisien afgelei van L-Lisien Hidrochloried 625 mg	**500**	**mg**
Vitamien B3 afgelei van Nikotienamied 25 mg	**25**	**mg**
Vitamien B6 (Aktief) afgelei van Piridoksale-5-Fosfaat Monohidraat 54 mg	**50**	**mg**
Vitamien B12 (Aktief) afgelei van Metielkobalamien 50 µg	**50**	**µg**
Vitamien C afgelei van Askorbiensuur 500 mg	**500**	**mg**
Vitamien D3 afgelei van Cholekalsiferol 10 mg	**1 000**	**IE**
Folaat (Aktief) afgelei van (6S)-5-Metieltetrahidrofolaat 556 µg	**400**	**µg**
Seleen afgelei van Seleenbisglisinaat 3 mg	**60**	**µg**
Sink afgelei van Sinksitraattrihidraat 81 mg	**25**	**mg**

Alle minerale word in hul element- en nie-element vorm aangegee.

Die ander bestanddele is:
Tabletkern – Kalsiumfosfaatdibasies, Magnesiumstearaat, Mikrokristallyne Sellulose, Natriumstyselglikolaat, Oplosmiddel 45, Povidoon en Silikondioksied.

Tabletbedekking – Kasterolie, Flexicoat en Skellak.

Komponent 2

Elke Geel Tablet bevat:

Kwersetien afgelei van Kwersetien Anhidries 211 mg	**200**	**mg**
N-Asetielsisteïen afgelei van N-Asetielsisteïen Monohidraat 200 mg	**200**	**mg**
Ivy Leaf (klimop) [Blaar] afgelei van *Hedera helix* 5:1 Ekstrak 30 mg	**150**	**mg**
Pelargonium Sidoides (kalwerbossie) [Wortel] afgelei van *African Geranium* 2:1 Ekstrak 175 mg	**350**	**mg**
Bromelien	**150**	**mg**
Verbenakruid [Blaar] afgelei van *Verbena officinalis* 36 mg	**36**	**mg**
Vitamien A afgelei van Vitamien A-Asetaat 2 mg	**1 000**	**IE**
Vitamien E afgelei van dl-α-Tokoferol 40 mg	**20**	**IE**
Mangaan afgelei van Mangaanglisinaat 15 mg	**3**	**mg**

Alle minerale word in hul element- en nie-element vorm aangegee.

Die ander bestanddele is:
Tabletkern – Magnesiumstearaat, Mikrokristallyne Sellulose, Natriumstyselglikolaat, Oplosmiddel 45, Povidoon en Silikondioksied.

Tabletbedekking – Kasterolie, Flexicoat en Skellak.

Komponent 3

Elke Groen Tablet bevat:

Echinacea [Wortel] afgelei van *Echinacea purpurea* 4:1 Ekstrak 25 mg	**100**	**mg**
Vlierbessie [Vrug] afgelei van *Sambucus nigra* 10:1 Ekstrak 10 mg	**100**	**mg**
Gemmer [Wortel] afgelei van *Zingiber officinale* 4:1 Ekstrak 63 mg	**250**	**mg**
L-Teanien	**150**	**mg**
Boswellia afgelei van *Boswellia serrata* 5:1 Ekstrak 77 mg	**250**	**mg**
Kurkuma (Borrie) [Stingel] afgelei van *Curcumin longa* 25:1 Ekstrak 4 mg	**100**	**mg**
Magnesium afgelei van Magnesiumglisinaat 160 mg	**40**	**mg**

Alle minerale word in hul element- en nie-element vorm aangegee.

Die ander bestanddele is:
Tabletkern – Magnesiumstearaat, Mikrokristallyne Sellulose, Natriumstyselglikolaat, Povidoon en Silikondioksied.

Tabletbedekking – Kasterolie, Flexicoat en Skellak.

Hoe VIRAVANCE 1-2-3 Tabz™ lyk en die inhoud van die kartondosie

VIRAVANCE 1-2-3 Tabz™ is beskikbaar in 'n kartondosie van 30x en 90x Langwerpige Filmbedekte Tablette.

10-Dae Voorraad
Elke kartondosie bevat 5x Oranje Filmbedekte Tablette van Komponent 1, 5x Geel Filmbedekte Tablette van Komponent 2 en 5x Groen Filmbedekte Tablette van Komponent 3 in elke PVC/PVDC/Aluminium stulpstrook.
Daar is 2x stulpstroke binne-in 'n kartondosie.
Kartondosie met 1x Peutervrye Seël aan weerskante van die boks-openinge.

30-Dae Voorraad
Elke kartondosie bevat 5x Oranje Filmbedekte Tablette van Komponent 1, 5x Geel Filmbedekte Tablette van Komponent 2, en 5x Groen Filmbedekte Tablette van Komponent 3 in elke PVC/PVDC/Aluminium stulpstrook.
Daar is 6x stulpstroke binne-in 'n kartondosie.
Kartondosie met 1x Peutervrye Seël aan weerskante van die boks-openinge.

Houer van die Registrasiesertifikaat

AnaStellar Brands (Edms) Bpk.
Posbus 639
Fontainebleau
2032
Suid-Afrika
+27 (0)11 792 4601

Registrasienommer

Moet toegeken word

Hierdie pamflet is laas in April 2026 hersien

Die Professionele Inligtingspamflet is beskikbaar by https://anastellar.co.za

Hierdie ongeregistreerde middel is nie deur die SAHPRA vir sy gehalte, veiligheid of beoogde gebruik geëvalueer nie.

VV123Tabz/LF/01